Semiclassical corrections to a regularized Schwarzschild metric *

Hristu Culetu[†]

Ovidius University, Department of Physics Bld. Mamaia 124, 900527 Constanta, Romania

May 16, 2024

Abstract

A regular form of the Schwarzschild geometry is proposed. It is more suitable for application in microphysics because the source mass comes out both as a Schwarzschild radius and the Compton wavelength of the mass m. The Komar energy equals mc^2 in the classical situation ($\hbar = 0$).

We propose a regular version of the Schwarzschild metric, to be valid in microphysics. The time-time metric coefficient is modified as [1] (see also [2])

$$-g_{tt} = 1/g_{rr} \equiv f(r) = 1 - \frac{2m}{r}e^{-\frac{k}{mr}},$$
(0.1)

where *m* is the object mass, *k* is a positive dimensionless constant and has units of length in front of the exponential and 1/length at the exponent. We select k = 2/e, so that f(r) becomes minimal at r = k/m = 2/me. For a horizon to exist, we found that the condition $m \ge m_P$ should be obeyed [3].

An expansion of f(r) for $r >> r_0 = 2/em$ gives us

$$f(r) \approx 1 - \frac{2m}{r} + \frac{4l_P^2}{er^2},$$
 (0.2)

where l_P is the Planck length. From (0.2) one obtains that f(r) acquires its Schwarzschild value when $\hbar = 0$. The solution (0.1) is not a vacuum solution of Einstein's equations. The source stress tensor has $p_r = -\rho$ and fluctuating transversal pressures, where ρ is the energy density and p_r is the radial pressure. The Komar energy associated to the geometry (0.1), with k = 2/em, appears as

$$W = \left(mc^2 - \frac{2\hbar c}{er}\right)e^{-\frac{2\hbar}{emcr}}.$$
(0.3)

which tends to zero when $r \to 0$ and $W \to mc^2$ at infinity. The classical situation ($\hbar = 0$) leads to the standard result $W = mc^2$.

*Presented at The 3rd Conference of the Polish Society on Relativity, 25-29 September 2016, Kraków, Poland

[†]e-mail : hculetu@yahoo.com

References

- [1] H. Culetu, Int. J. Theor. Phys. 54, 2855 (2015), arXiv: gr-qc/1408.3334.
- [2] L. Xiang et al., Int. J. Mod. Phys. D 22, 1342016 (2013), arXiv: gr-qc/1305.3851.
- [3] A. Bonanno and M. Reuter, Phys. Rev. D 62, 043008 (2000), arXiv: hep-th/0002196.